Central and Northern California Coastal Marine Habitats: Oil Residence and Biological Sensitivity Indices

RELATIVE ABUNDANCE OF MAJOR MACROBIOTA*

Taxa ROCKY INTERTIDAL MACROBIOTA	A	B	C	D
Acorn barnacles				
Chlorophyta			O	
Porphyra spp.				
Pelvetiopsis limitata				
Endocladia muricata			C	
Pelvetia fastigiata			C	
Fucus distichus			O-C	
Gigartina spp.			C	
Pollicipes polymerus			O	
Mytilus californianus			O-C	
Corallina spp./Gigartina spp.			O	
Postelsia palmaeformis				
Halosaccion glandiforme			C	
Iridaea spp.			O	
Odonthalia spp./Rhodomela larix				
Coralline algae			O	
Phyllospadix spp.			C	
Alaria marginata				
Egregia menziesii			C	
Laminaria spp.				
Lessoniopsis littoralis				
OTHER MACROBIOTA				
Kelp beds:				
Macrocystis spp.				
Nereocystis luetkeana				
Marine mammals:				
Elephant seal				
Harbor seal				
Steller sea lion				
California sea lion				
Seabird nesting colonies:				
Fork-tailed storm petrel				
Leach's storm petrel				
Ashy storm petrel				
Brandt's cormorant				
Double-crested cormorant				
Pelagic cormorant				
Black oystercatcher				
Western gull				
Common murre				
Pigeon guillemot				
Cassin's auklet				
Rhinoceros auklet				
Tufted puffin				
Threatened/Endangered Species:				
Aleutian Canada goose				
Southern sea otter	C	C	C	C

*Relative abundance for summer conditions: O = occasional, C = common, A = abundant

PHYSICAL SHORE-ZONE CHARACTERISTICS

UNIT IDENTIFIERS	A	B	C	D
ALONGSHORE LENGTH (km)	0.7	0.2	0.4	3.0
ACROSS-SHORE WIDTH (m)	60	-	50-100	150-200
WAVE EXPOSURE	10	1-10	10	10
ACROSS-SHORE COMPONENTS (morphology, texture) Primary / Secondary	Cp,Rs / Bb,Cg / Bf,Cg / Bt,Cs	Rs,Cs / Ie,Cs / Bt,Cs	Ca,Rs / Bi,Cs: Rs / Pi,Rs / Ore,Rs	Dl,Csp / Bb,Csp / Bf,Cs / Bt,Cs
MICRO RELIEF	S	S	R	S
MACRO RELIEF	S	S	S	S
SUMMARY CHARACTERISTICS	bm	Ie	RPb's	bs
OIL RESIDENCE INDEX	2	1	3	2
GROUND TRUTH	0	0	0	3

ABBREVIATED PHYSICAL SHORE-ZONE CODING EXPLANATION

This is an abbreviated legend for the physical shore-zone coding sheets; consult the main text for a complete discussion of codes and rationale. Only the across-shore descriptors for morphology and texture are discussed.

ACROSS-SHORE COMPONENTS - dominant morphologic and textural character of each across-shore component, described in a landward to seaward sequence. Each component consists of a geomorphic form descriptor and a substrate descriptor:

FORM → Bb, Csg ← TEXTURE

The primary geomorphic forms are initially described by a series of 12 codes:

A	Anthropogenic	E	Coastal Bay, Lagoon, Estuary	P	Platform
B	Beach	I	Inlet	R	River
C	Cliff	M	Marsh	S	Bar/Trough
D	Dune	O	Offshore Rocks	T	Delta

Each of these groups is then further modified by codes as indicated below.

Anthropogenic (A)

e	causeway	j	jetty	m	marina
f	float	g	groin	r	boat ramp
t	trench				
s	seawall				
w	wharf				

Beach (B)

b	berm	i	inclined slope	s	storm ridge
c	washover channel	m	multiple intertidal bars	t	low-tide terrace
f	beach face	r	single intertidal bar	w	washover

Cliff (C)

a	active or erosional	p	passive	c	caves present

Dune (D)

b	blowout	f	foredune	s	ridge and swale
d	stabilized	r	random form	l	longitudinal

Coastal Bay, Lagoon, Estuary (E)

b	enclosed bay	e	estuary

Inlet (I)

e	ephemeral	a	opening fixed by offshore structures		
s	stable	f	flood-tidal delta	l	ebb-tidal delta

Marsh (M) c tidal creek

Offshore Rocks (O)

e	intertidal reef	s	sea stack
r	rock outcrop (>2 m above M.S.L. and <10 m in width or length)		

Platform (P)

h	high-tide platform	f	horizontal	t	terraced
l	low-tide platform	r	ramp	i	irregular

River (R)

b	braided	m	multiple	s	single channel

Bar/Trough (S) subtidal r with rip channels

Delta (T)

c	channel	m	multiple channels	p	delta plain
f	fan	s	single channel	v	crevasse
l	levee				

Substrate type or sediment texture are described in detail by a series of codes. The sediments or materials of the shore are initially coded into one of four groups:

A	anthropogenic materials	C	clastic sediments
B	biogenic sediments	R	bedrock

Each of these groups is then further modified by texture or composition as indicated below.

Anthropogenic materials (A)

a	metal	n	concrete (solid)	w	bark or wood debris
d	debris, rubble	t	logs		
e	concrete (individually formed)	u	wood (structural; e.g., pilings or boards)		

Biogenic sediments (B)

l	trees or wood particles	o	organic litter
s	shell hash (with a texture as described below)		

Clastic sediments (C)

b	boulder	s	sand	m	mud
c	cobble	#	silt	g	gravel
p	pebble	#	clay	r	rubble

Bedrock (R)

i	igneous	m	metamorphic	s	sedimentary

Where more than one texture is present in an across-shore component, several substrates or textures may be indicated. Where one texture physically overlies another, it is indicated by a slash (e.g. Cs/Rs, and over rock). Where several mutually exclusive textures occur within a component, such as rock outcrops within a sand beach, a colon is used to indicate that association (e.g., Cs:Ri).

Prepared for
Minerals Management Service
Pacific Outer Continental Shelf Region
Los Angeles, California

by

Woodward-Clyde Consultants
Environmental Systems Division
San Francisco, California

November, 1982

M.M.S. Map# 48

Sheet 2 of 2